

itinerary
price list

june 2017

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes / Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs require minimum quantities, additional lead time and upcharges. A custom job number, available from your local sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. If not specified, Bernhardt Design will exercise its best judgement in selecting a carrier. Orders in production will be shipped as scheduled and cannot be held. High quality cartoning which meets trucking and railroad specifications is standard at no extra charge.

Freight Damage and Claims

Bernhardt Design is not liable for damages that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect all products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition. Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating reason for return and how the item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Measurements and Weights

All measurements and weights are approximate and subject to change without notice.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Dry with a soft cloth, wiping in the grain direction. Do not use waxes or furniture polish, as these will cause a film build-up.

Wood Finishes

Bernhardt Design tables are available in standard finishes compatible with casegoods and seating finishes. However, finishes on tables may vary slightly from those on casegoods and seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes 836, 837, 840, 850 and 870. Light finishes do not hide or mask the natural characteristics of the wood. It is important that the dealer and customer understand that inherent natural characteristics of the wood will vary from piece to piece when using a light finish. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock.

These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced because of these natural characteristics.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **5% net upcharge with a \$500 net minimum**. Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Warranty

Bernhardt Design will repair or replace, at its discretion and without charge to the original purchaser, any table product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care, for five years from date of shipment. This warranty does not cover misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions, or damages incurred by contact with seating products.

Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues.

Drawer glides, drawer boxes, drawer pulls, and locking mechanisms have a Life-Time Warranty for the original purchaser. Power or communications components are warranted for one (1) year.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a carrier, dealer, installer, user modification, or attachments to a product.

Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect. The Bernhardt Design customer is the dealer. All complaints must be resolved through the dealer from which the furniture was purchased.

To obtain warranty service the dealer must supply dated proof of purchase. This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

Some states do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute. Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Bernhardt Design reserves the right to make changes in dimensions, design and/or construction, price lists, or product literature without prior notice.

General Services Administration

Products available on the Bernhardt Design GSA - Federal Supply Service Contract GS-27F-010GA are noted in the product descriptions.

For information regarding GSA pricing, please contact your local Bernhardt Design sales representative or call 828 759 6337.

Send all GSA payments to:

12197 Collections Center Drive

Chicago IL 60693

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise net price, excluding any extra discounts beyond standard net pricing. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Zone	Minimum Charge	Freight Rate	Average Service Days
1	\$80	5%	2-4 Business Days
2	\$80	6%	2-4 Business Days
3	\$90	7%	3-5 Business Days
4	\$90	8%	5-7 Business Days
5	\$90	9%	6-9 Business Days
6	\$110	10%	6-9 Business Days
7	\$110	11%	7-10 Business Days
8	\$120	12%	8-12 Business Days
9	\$120	13%	8-12 Business Days
10	\$120	15%	10-15 Business Days

Note: Average Service Days excludes ship day.



Finish Selections

A three character sku identifies the laminate selection or the finish on each species. Individual components are priced with standard finish or standard laminate.

A variety of standard laminate finishes are available as listed. Additional laminate colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the veneer specification code.

Special finishes on veneers made to customer specifications are subject to factory approval and a 5% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork, or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes such as 836, 837, 840, or 870, the color and characteristic variances of both veneer and solid wood are apparent. Therefore, exact color matches are not possible.

F Plain/Abstract Laminate

Standard Plain/Abstract

- 601 Solid White, Nevamar S-7004T, with Solid White Edge
- 604 Winter Gray Matrix, Nevamar MR-6005T, with Platinum Edge
- 605 Straw Matrix, Nevamar MR-2006T, with Platinum Edge
- 611 Brite White, Formica 459-58, with Designer White Edge
- 644 Stop Red, Formica 839-58, with Spectrum Red Edge
- 645 Smoky White, Nevamar S7027T, with Frosty White Edge
- 646 Cordial Gray, Nevamar S6024T, with Featherstone Edge
- 660 Folkstone, Formica 927-58, with Fashion Grey Edge
- 661 Fog, Formica 961-58, with Dove Grey Edge
- 662 Black, Formica 909-58, with Black Edge
- 694 Almond, Nevamar S2037T, with Almond Edge
- 695 Tawny White, Pionite SW812, with Antique White Edge
- 696 Taupe, Pionite ST606, with Khaki Brown Edge
- 697 Sandcastle, Nevamar S2093T, with Pepperdust Edge

W Woodgrain Laminate

Standard Woodgrain

- 670 Gunstock Savoy Walnut, Pionite WW971, with Columbian Walnut Edge
- 685 Grand Isle Maple, Nevamar W8371T, with African Limba Edge
- 686 Valencia Teak, Nevamar WT0003PV, with Shadow Oak Edge
- 687 Sovereign Cherry, Nevamar W8325T, with Wild Cherry Edge
- 688 Clear Maple, Nevamar WM8340T, with Natural Maple Edge
- 689 Kingsley, Pionite WW011, with Kingsley Edge
- 690 Cocoa Maple, Formica 7739-58, with Cocoa Maple Edge
- 691 Prestige Walnut, Formica 6209-43, with Shadow Oak Edge
- 692 Select Cherry, Formica 7759-43, with Select Cherry Edge
- 693 Northern Oak, Formica 7152-58, with Clear Maple Edge

I Cherry

Standard Finish

- 805 840
- 834 841
- 836 861
- 839

E Maple

Standard Finish

- 837
- 850

C Oak

Standard Finish

- 805 860
- 836 861
- 837 865
- 839 866
- 840 870

G Paldao

Standard Finish

- 823 861
- 839 866
- 841 870
- 860

9 Walnut

Standard Finish

- 823 861
- 839 866
- 841 870
- 860

Itinerary Ordering Information

Each item has a multi-character ordering code comprised of letters and numbers representing design selections found in the specification code grid. The grid is located at the bottom of each page and lists the selections particular to the items shown on that page. The grid immediately below shows all design selections possible for the Serif tables collection. Explanations of each design selection follows.

Itinerary Environmental Certifications

The Itinerary table collection is available upon request with certifications for Level 1, Greenguard and FSC® C012937 Chain of Custody. Requests must be made in writing in advance of or during the quoting process as upcharges may apply. For complete information regarding the Level 1, Greenguard and FSC certifications, please contact bgreen@bernhardt.com.

specification codes	series	sku	veneer	style	base codes	finish	grommet placement
	<input type="checkbox"/> H itinerary <input type="checkbox"/> C accessories <input type="checkbox"/> W <input type="checkbox"/> K		<input type="checkbox"/> F plain/abstract laminate <input type="checkbox"/> W woodgrain laminate <input type="checkbox"/> C oak <input type="checkbox"/> E maple <input type="checkbox"/> J cherry <input type="checkbox"/> 9 walnut <input type="checkbox"/> G paldao	<input type="checkbox"/> F flat edge <input type="checkbox"/> X none	<input type="checkbox"/> 8 casters <input type="checkbox"/> 9 glides <input type="checkbox"/> X none	see page 5	see grommet location code

Series Selections

H Itinerary
The Itinerary collection offers a variety of mobile and stationary training and conferencing tables with options for ganging and grouping in a flexible environment. Available in laminate or veneer options. Itinerary tables are Level 1 and GREENGUARD certified.

C Accessories
Bernhardt Design offers a variety of accessories including media carts, markerboards, and power management equipment.

Style Selections

F Flat Edge - Wood and Vinyl



SKU Selections

Sku/Product Number
A three character sku identifies each product. Information including dimensions, weight and pricing is provided for each sku.

Veneer Selections

Laminates

- F Plain/Abstract Laminates
- W Woodgrain Laminates






A variety of standard laminate finishes are available with vinyl edge bands specifically formulated to correspond to standard laminates. Additional laminate colors or edge bands may be available in combinations not listed as standard but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the series specification code. see page 5 finish selections for standard laminates and edge bands.

Base Selection

- 8 Casters
Non-leveling
- 9 Glides



Veneer

<input type="checkbox"/> C Oak Rift Cut 	<input type="checkbox"/> E Maple Flat Cut 	<input type="checkbox"/> J Cherry Flat Cut 	<input type="checkbox"/> 9 Walnut Flat Cut 	<input type="checkbox"/> G Paldao Quarter Cut 
---	---	--	--	---

Folding Tables



Designed for use in flexible environments requiring reconfigurations and easy storage. Available with a 1 1/4" thick top in wood veneer or a laminate top with vinyl edge band. See veneer and laminate options. Grain will run the length of the table in veneer applications. Tops are pre-machined for ganging brackets and corner top attachment brackets. Communication grommets are available for wire management. Grommet placement must be specified when ordering table. See specification information and grommet location codes. Shipped assembled.

Two base options are available. The mobile base option utilizes four non-levelling 80mm dual wheel casters and two of the casters are locking. The fixed base option uses four leveling glides with black detail. The glides have a polished aluminum finish to match the base.



A 1 1/4" x 8"h modesty panel on the folding training table conceals electrical and power components when extended. When stored, the panel folds allowing the table to nest tightly in storage. Both sides of the modesty panel are finished in the surface material of the top specified. The YEC electrical module has been designed specifically for power management with the folding modesty panel training table. See power module options.

Two options are available for providing power to folding conference tables without a modesty panel. The YEB crossbar electrical module is used with the 9" communication grommet and attaches to the center crossbar in one of three locations on the bar. The E8E power module is self-contained and worksurface mounted. See power module options.



Itinerary folding tables are designed to nest for compact storage. A handle underneath the table top when turned in a clockwise motion, releases the table top to fold. When in the folded position, the tables slide together to nest with each table occupying approximately 6" of incremental storage space. See top and side view illustrations.



Folding table with modesty panel with 9" grommet and YEC electrical module



Folding table with center 9" grommet and YEB crossbar electrical module



Nesting Configuration: Top view of four tables nested. Approximate dimensions based on 72" table top.


Nesting Configuration: Side view of four tables nested. Approximate dimensions.

Communication Grommets

The communication grommet is installed into a worksurface to allow the passage of wires through the surface to a power or communication source beneath. The units easily open to provide wire passage. Two options of 9" communication grommets are available: an anodized aluminum grommet with brushed aluminum finish, and a cast aluminum grommet with wood veneer or laminate panels that match the finish on the table top. The 9" communication grommet may be used in conjunction with power modules on tables 30"d or larger.


The position along the length of the table must be specified on the purchase order when ordering the top. Grommets cannot be changed or added after an order is acknowledged and entered into production.

**Communication Grommet
Brushed Aluminum Finish**




VFA - Brushed Aluminum Finish

**Communication Grommet
Wood Veneer or Laminate Panel**



VFD - Veneer Finish Grain Long



Veneer grain runs the length of the top (long direction).


Grommet Location Codes

Itinerary Tables


HSA grommet location
Use with all top sizes
Specify E8E module separately



HSB grommet location
Use with all top sizes
Specify E8E modules separately



HAB grommet location
Use with tops 30" - 40"d
Specify VFA or VFD grommets separately
Specify modesty panel
Specify YEC electrical module



HAC grommet location
Use with tops 30" - 40"d
Specify VFA or VFD grommets separately
Specify modesty panel
Specify YEC electrical module



SAA grommet location
Use with tops 30" - 40"d
Specify VFA or VFD grommets separately



Power Modules


The power module is an interconnection device which works in conjunction with the 9” communication grommet and integrates convenient grounded receptacles and communication data modules.

The YEB crossbar electrical module, designed for mounting on the crossbar of the folding conference table 30”d and larger, has four grounded outlets – 120 volt, 60 Hz; 15 amp – with one outlet rotated for transformer plugs, an integrated switch and breaker and a 9’ cord with a three wire grounded plug. Also included: two Amp® RJ45 Cat5e jacks on the top with two RJ45 extension jacks on the side. UL Listed, CSA Approved. Polished chrome faceplate with brushed stainless steel housing box and data modules.


The YEC folding modesty panel electrical module was designed specifically for power management with the folding modesty panel training table 30”d and larger. Includes four rounded outlets – 120 volt, 60 Hz, 15amp – with one outlet rotated for transformer plugs, an integrated switch and breaker; 9’ cord with a three-wire grounded plug. Also included: two Amp® RJ45 Cat5e extension jacks on the top and side. UL Listed, CSA Approved. Brushed stainless steel housing box and data modules with a black mounting plate.

A self-contained, worksurface mounted, power module features two 110 volt outlets with a 6’ cord with a three-wire grounded plug integrated with two Amp® RJ45 Cat5e jacks with 9’ cable and plug. UL Listed, CSA Approved. Matte black plastic. The E8E is the only power module for use on a 27”d table.


Crossbar Electrical Module




YEB
For use with SAA Grommet Locations




Folding Modesty Panel Electrical Module




YEC
For use with the HAB and HAC Grommet Locations and a Modesty Panel



Worksurface Power Module



E8E




itinerary tables




polished aluminum glides and casters
 shipped assembled
 approved for GSA Contract GS-27F-010GA
 Level 1 Certified
 GREENGUARD Certified

folding rectangular training table



sku	l	w	h	weight	specifications	plain or abstract laminate	woodgrain laminate	cherry maple oak walnut	paldao
Y3L	60	27	29	95	use with E8E power module	\$ 2973	\$ 3122	\$ 3339	\$ 3874
Y3M	66	27	29	100	use with E8E power module	3096	3251	3479	4036
Y3N	72	27	29	105	use with E8E power module	3234	3399	3635	4217
Y3P	78	27	29	110	use with E8E power module	3507	3683	3935	4565
Y3A	60	30	29	105		2973	3122	3339	3874
Y3B	66	30	29	110		3096	3251	3479	4036
Y3C	72	30	29	115		3237	3399	3635	4217
Y3D	78	30	29	120		3507	3683	3935	4565
Y3E	84	30	29	130		3600	3780	4043	4690
Y3F	72	36	29	130		3332	3499	3740	4339
Y3G	78	36	29	140		3600	3780	4043	4690
Y3H	84	36	29	150		3728	3915	4184	4854
Y3J	72	40	29	145		3496	3671	3924	4552
Y3K	78	40	29	155		3734	3921	4192	4863

folding trapezoid shape training table



Y4B	60	27	29	90	42" end, use E8E power module	3057	3210	3432	3982
Y4D	72	27	29	95	48" end, use E8E power module	3333	3500	3741	4340
Y4A	60	30	29	100	42" end	3057	3210	3432	3982
Y4C	72	30	29	110	48" end	3333	3500	3741	4340
Y4K	60	36	29	110	42" end	3181	3341	3574	4146
Y4F	72	36	29	125	48" end	3469	3643	3893	4516

specification codes

series

[H] itinerary

sku

[H]

veneer

- [F] plain/abstract laminate
- [W] woodgrain laminate
- [J] cherry
- [E] maple
- [C] oak
- [9] walnut
- [G] paldao

style

[F] flat edge

[F]

pull/hardware

- [8] casters
- [9] glides

finish

see page 5

grommet placement


itinerary table with modesty panel



folding modesty panel conceals power management accessories
 1¼" x 8"h modesty panel
 polished aluminum glides and casters
 veneer code is for both top and modesty panel
 shipped assembled

approved for GSA Contract GS-27F-010GA
 Level 1 Certified
 GREENGUARD Certified

folding rectangular training table



sku	l	w	h	weight	specifications	plain or abstract laminate	woodgrain laminate	cherry maple oak walnut	paldao
Y2A	60	27	29	110	use with E8E power module	\$ 3732	\$ 3919	\$ 4414	\$ 5121
Y2B	66	27	29	115	use with E8E power module	3849	4042	4623	5363
Y2C	72	27	29	125	use with E8E power module	3973	4172	4783	5549
Y2D	78	27	29	130	use with E8E power module	4226	4438	5086	5900
Y2E	60	30	29	115		3732	3919	4487	5205
Y2F	66	30	29	125		3849	4042	4623	5363
Y2G	72	30	29	130		3973	4172	4783	5549
Y2H	78	30	29	140		4226	4438	5086	5900

specification codes

series

[H] itinerary

sku

[H]

veneer

- [F] plain/abstract laminate
- [W] woodgrain laminate
- [J] cherry
- [E] maple
- [C] oak
- [Q] walnut
- [G] paldao

[F]

style

[F] flat edge

[F]

pull/hardware

- [8] casters
- [9] glides

[]

finish

see page 5

[] [] [] []

grommet placement


[] [] [] []

itinerary tables

mounting hardware included
 approved for GSA Contract GS-27F-010GA
 Level 1 Certified
 GREENGUARD Certified



**quarter round shape
corner top**



sku	w	d	h	weight	specifications	plain or abstract laminate	woodgrain laminate	cherry maple oak walnut	paldao
YFA	27	27	1¼	30	1¼" thick top	\$ 1030	\$ 1082	\$ 1206	\$ 1399
YFB	30	30	1¼	35	1¼" thick top	1138	1195	1330	1543
YFC	36	36	1¼	50	1¼" thick top	1250	1313	1463	1698
YFD	40	40	1¼	65	1¼" thick top	1339	1406	1567	1818
specify style code F									
						price			




ganging brackets

E8D	6	2¾	¼	3	42" end, use E8E power module	130
two sets for ganging two tables field installed specify veneer and style code X						



specification codes

series	sku	veneer	style	pull/hardware	finish	grommet placement
<input checked="" type="checkbox"/> itinerary		<input type="checkbox"/> plain/abstract laminate <input type="checkbox"/> woodgrain laminate <input type="checkbox"/> cherry <input type="checkbox"/> maple <input type="checkbox"/> oak <input type="checkbox"/> walnut <input type="checkbox"/> paldao	<input type="checkbox"/> flat edge <input checked="" type="checkbox"/> none	<input checked="" type="checkbox"/> none	see page 5	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

description	sku	w	d	h	weight	specifications	price
 <p>communication grommet aluminum panel</p> <p>anodized aluminum, brushed aluminum finish use with laminate or veneer tops use on top 30" d and larger cannot use on 27" d tops specify location when ordering top grain will run with direction of tops specified specify series code K specify veneer code X specify pull/hardware code 4 approved for GSA contract GS-27F-010GA</p>	VFA	9	5 1/4	1 1/4	5		\$ 267
 <p>communication grommet veneer or laminate panel</p> <p>cast aluminum, brushed aluminum finish quarter cut veneer or laminate panel use on top 30" d and larger cannot use on 27" d tops specify location when ordering top grain will run with direction of tops specified specify series code C specify veneer and finish codes specify pull/hardware code 4 approved for GSA contract GS-27F-010GA</p>	VFD	9	5 1/4	1 1/4	5		453
 <p>worksurface power module</p> <p>self-contained worksurface mounted matte black plastic two grounded outlets two Cat5e Amp® RJ45 data jacks with 9' cable and plug may be used on 27" d tops and larger specify series code C specify veneer code X specify pull/hardware code X approved for GSA contract GS-27F-010GA</p>	E8E	7	3	1 1/4	5	6' cord with a three-wire grounded plug	753

specification codes	series	sku	veneer	style	pull/hardware	finish	grommet placement
	[C] accessories [K]		[F] plain/abstract laminate [W] woodgrain laminate [J] cherry [E] maple [C] oak [Q] walnut [G] paldao [X] none	[X] none	[4] brush aluminum [X] none	see page 5	

